

Price List

Jiangxi Haisheng International Trade Co., Ltd.


Standard				
Model	20FT			
Area	37 m²			
Weight	3.5Tons			
Folded size		L:5900mm ,W:2200mm ,H:2480mm		
Expanded size		L:5900mm ,W:6300mm ,H:2480mm		
Index				
Seismic performance	lv. 8	Ground live load	4.0kN/m²	
Fire performance	Fire resistance Inner wall > 1 hour Exterior wall > 2 hour	Thermal insulation property	75mm thickness Heat-insulating	
Wind resistance	0.60 kn/m squared	Sound insulation	≥30dB	
Roof live load	0.9kN/W²	power consumption	12KW	
Water proof performance	Organized drainage, when the precipitation≤20mm/min. No leakage			
Basic Price				
	Unit price (\$)	Quality	Total	
Frame	4570	Includes broken bridge aluminum/KFC doors and plastic-steel windows	 4570	
Bathroom	650	Bathroom and shower room	 650	

Bedroom (2rooms)	610	All part	610 
Kitchen	550	Kitchen cabinets, sink, faucet	550 
Breakbridge aluminum windows and doors	590	Double-layer thermal break aluminum alloy	590
Roof+Balcony	1880		1880
EXW price (\$)			8850
Payment: TT 50% deposit,the balance before shippment.			
Production time: 20-30 days after receiving the deposit. In case of tight production, it will be negotiated by both parties.			
After sale service: Detailed installation video, installation instructions, online guidance.			
Quality gurantee: The frame has a 5-year warranty, and other easily damaged parts have a 1-year warranty. 24/7 support.			

配置

20 尺双翼拓展箱配置单

40-foot Double-Extension Container Configuration List

序号 Number	户型 Room type	外观图 (参考) Appearance picture (Reference)	布置图 Layout drawing	装配图 Assembly drawing
1	两室一厅一厨一卫 Two bedrooms, one living room, one kitchen and one bathroom			

序号 Numb er	类别 Category	项目内容 Project Content	规格型号 Specification and Model	单位 unit	数量 Quantity	选配 Optional accessories
2	基本信息 Basic Information	拓展后尺寸 (mm) L*W*H Expanded dimensions	L5900*W6300*H2480	套 set	1	
		折叠前尺寸 (mm) L*W*H Original size before folding	L5900*W2200*H2480			
		重量 Weight	3.5 tons			
3	主体结构 Main structure	地面主梁 Ground main beam	规格 80mm*100mm 方钢, 镀锌梁 2.5mm 厚 Specification: 80mm * 100mm square steel. Galvanized beam with a thickness of 2.5mm.	套 set	1	
		地面次梁 Ground main beam	规格 60*40*1.5mm 厚镀锌方管; Specification: 60*40*1.5mm thick galvanized square tube;	套 set	1	
		立柱 Column	规格 210*150mm, 镀锌 2.5mm 厚 Specification: 210*150mm, galvanized with a thickness of 2.5mm	套 set	1	

		屋面主梁 Roof main beam	规格 80mm*100mm 方钢, 镀锌 2.5mm 厚 Specification: 80mm * 100mm square steel, galvanized with a thickness of 2.5mm.	套 set	1	
		屋面次梁 Roof secondary beam	40*60*2.0mm 厚*5 根镀锌方管 20*20*1.2mm 方管*2 根 40*60*2.0mm thick * 5 galvanized square tubes, each with dimensions 20*20*1.2mm * 2 pieces	套 set	1	
		侧翼框 Flank frame	P80*1.5mm 专用管/L 型特殊镀锌 钢板, 厚度 2.0mm 40*80*2.0mm 矩管 /L40*40*2.0mm 角钢 P80 * 1.5mm special tube / L-shaped special galvanized steel plate, thickness 2.0mm 40 * 80 * 2.0mm rectangular tube / L40 * 40 * 2.0mm angle steel	套 set	1	
		表面处理 Surface treatment	静电喷涂塑粉烤漆≥80 Hm Electrostatic spraying of plastic powder with baking paint ≥ 80 Hm	套 set	1	

4	地面 Ground	基层板 Base board	中间 18mm 水泥板，两侧 18mm 建筑模板 An 18mm cement board in the middle, and 18mm construction templates on both sides	套 set	1	
		塑胶地板 Plastic flooring	pvc 地板革，厚度 2.0mm PVC floor covering, thickness 2.0mm	套 set	1	
5	保温墙体 Insulation wall	外墙 Exterior wall	75mm 三明治夹芯板，彩卷双面 0.25 (夹芯材质有岩棉 80kg/m³, EPS, 聚氨酯选) 标配夹芯材料是 10kg/m³ EPS 75mm sandwich core board, double-sided colored roll with 0.25 thickness (the core material includes rock wool 80kg/m³, EPS, and polyurethane options) The standard core material is 10kg/m³ EPS	套 set	1	
		隔断 Partition	50mm 三明治夹芯板，彩钢板基板 双面 0.25。保温材质同上 50mm sandwich core board, with double-sided 0.25 thickness of color steel	套 set	1	

			plate base. The insulation material is the same as before.			
		主顶和侧顶 Main roof and side roof	50mm 三明治夹芯板, 彩钢板基板 双面 0.25。保温材质同上 50mm sandwich core board, with double-sided 0.25 thickness of color steel plate base. The insulation material is the same as before.	套 set	1	
6	门窗 Doors and windows	断桥铝 Broken Bridge Aluminum	6 个	套 set	6	
		卫生间门 Toilet door	铝合金 Aluminum alloy	套 set	1	

		卧室门 Bedroom door	钢质门 Steel door	套 set	2	
		入口门 Entrance door	断桥铝/KFC 门 Broken Bridge Aluminum / KFC Door	套 set	1	
7	厨房 Kitchen	橱柜 Cabinet	L 型橱柜：颗粒板 L-shaped cabinet: Particle board	套 set	1	
		橱柜台面 Cabinet countertop	台面材质描述（石英石/色丽石） Surface material description (quartz stone / color stone)	套 set	1	
		洗菜盆 Sink for washing vegetables	包括水龙头和洗菜盆 Including the faucet and the sink for washing vegetables	套 set	1	
8	卫生间 Bathroom	马桶 Toilet	坐便器 Toilet seat	套 set	1	
		淋浴间 Bathroom shower area	干湿两用淋浴间 Dual-purpose dry and wet shower room	套 set	1	
		洗手盆 Toilet sink	带混合水龙头 With a mixed faucet	套 set	1	

		梳妆镜 Mirror for grooming	梳妆镜描述 Description of the dressing mirror	套 set	1	
		热水器 Water heater	淋浴花洒 Shower head	套 set	1	
9	电器系统 Electrical system	电线 Wire	入户线：3*6 平方，空调插座：3*4 平方；3*2.5 平方，照明：2*1.5 平方。 Entry line: 3*6 square meters; Air conditioning socket: 3*4 square meters; Air conditioning socket: 3*2.5 square meters; Lighting: 2*1.5 square meters.	套 set	1	
		空气开关 Air switch	2P40A 漏电保护器 1 个，2P32 漏电保护器 2 个/2P16A 漏电保护器 1 个。	件 piece	1	
		照明 Lighting	LED 圆吸顶灯 15W/套，卫生间 12W	套 set	7	
		插座 Socket	欧标插座卫生间 1 个，每个卧室 4 个、厨房 1 个、客厅 3 个	套 set	13	
		插头 Plug	CEE 工业插头	套 set	1	
		照明开关 Lighting switch	照明开关双开，单开	件 piece	4	
		配电箱 Distribution box	明装配电箱×1 个	件 piece	1	

10	屋顶+阳台 Roof+Balcony	屋顶+阳台 Roof+Balcony		套 set	1	
----	-----------------------	-----------------------	--	----------	---	---